L Number	Hits	Search Text	DB	Time stamp
-	4	484061.ap.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 13:03
-	0	18012000.ad.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 09:25
-	5967	20000118.ad.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 09:25
-	18	20000118.ad. and yang.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 09:25
-	22	("5181134" "4888791" "5510919" "5144469" "5550864" "4524462" "6069722" "6034801" "4475212" "5774002" "4361987").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 13:15
-	22	("5181134" "4888791" "5510919" "5144469" "5550864" "4524462" "6069722" "6034801" "4475212" "5774002" "4361897").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/22 13:15
-	7	uda.in. and 19891115.pd.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 10:46
-	1219	398/154,155.ccls. 398/202-214.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 18:37
-	0	(398/154,155.ccls. 398/202-214.ccls.) and (("bit-rate" (bit near1 rate) bitrate) with (independent$2 insensitiv$3 transparen$2)) and oscillators and (("A/D" "A-D" "AD" (analog near2 digital)) near2 conver$4) and ("low-pass" "low pass") and ("XOR" "EXOR" (exclusive near1 "or")) and delay and clock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 16:44
-	2	(398/154,155.ccls. 398/202-214.ccls.) and ("bit-rate" (bit near1 rate) bitrate) and oscillators and (("A/D" "A-D" "AD" (analog near2 digital)) near2 conver$4) and ("low-pass" "low pass") and ("XOR" "EXOR" (exclusive near1 "or")) and delay and clock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 18:58
-	2	(398/154,155.ccls. 398/202-214.ccls.) and ("bit-rate" (bit near1 rate) bitrate) and oscillators and (("A/D" "A-D" "AD" (analog near2 digital)) near2 conver$4) and ("low-pass" "low pass") and ("XOR" "EXOR" (exclusive near1 "or")) and delay	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 18:58

C:\APPS\EAST\Workspaces\09621009 Yang et al. - bit-rate indep opt receiver.wsp

-	3	(398/154,155.ccls. 398/202-214.ccls.) and ("bit-rate" (bit near1 rate) bitrate) and (("A/D" "A-D" "AD" (analog near2 digital)) near2 conver$4) and ("low-pass" "low pass") and ("XOR" "EXOR" (exclusive near1 "or")) and delay	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 19:04
-	1	"6091531".PN.	USPAT; US-PGPUB	2003/09/23 19:00
-	1	"5933265".PN.	USPAT; US-PGPUB	2003/09/23 19:00
-	3	(398/154,155.ccls. 398/202-214.ccls.) and ("bit-rate" (bit near1 rate) bitrate) and (("A/D" "A-D" "AD" (analog near2 digital)) near2 conver$4) and ("low-pass" "low pass") and ("XOR" "EXOR" (exclusive near1 "or"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 19:04
-	12	(398/154,155.ccls. 398/202-214.ccls.) and ("bit-rate" (bit near1 rate) bitrate) and (("A/D" "A-D" "AD" (analog near2 digital)) near2 conver$4) and ("low-pass" "low pass")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 10:09
-	1	4361897.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 19:06
-	3	4604756.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 19:07
-	3	5774002.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/23 19:07
-	195	park.in. and "bit rate"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 10:08
-	4	park.in. and "bit rate discriminator"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 10:08
-	24	(398/154,155.ccls. 398/202-214.ccls.) and ("bit-rate" (bit near1 rate) bitrate) and (("A/D" "A-D" "AD" (analog near2 digital)) near2 conver$4) and filter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 10:48
-	12	uda.in. and "bit rate"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 10:21
-	10	5197082.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 10:21

C:\APPS\EAST\Workspaces\09621009 Yang et al. - bit-rate indep opt receiver.wsp

-	8	(398/154,155.ccls. 398/202-214.ccls.) and duty and (("A/D" "A-D" "AD" (analog near2 digital)) near2 conver$4) and filter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 10:38
-	1	(398/154,155.ccls. 398/202-214.ccls.) and ("bit-phase" (bit near1 phase) bitphase) and (("A/D" "A-D" "AD" (analog near2 digital)) near2 conver$4) and filter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 10:48
-	5210	("bit-rate" (bit near1 rate) bitrate) and (("A/D" "A-D" "AD" (analog near2 digital)) near2 conver$4) and filter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 10:48
-	3	(("bit-rate" (bit near1 rate) bitrate) with (independent$2 insensitiv$3 transparen$2)) and oscillators and (("A/D" "A-D" "AD" (analog near2 digital)) near2 conver$4) and ("low-pass" "low pass") and ("XOR" "EXOR" (exclusive near1 "or")) and delay and clock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 10:52
-	4	(("bit-rate" (bit near1 rate) bitrate) with (independent$2 insensitiv$3 transparen$2)) and (("A/D" "A-D" "AD" (analog near2 digital)) near2 conver$4) and ("low-pass" "low pass") and ("XOR" "EXOR" (exclusive near1 "or")) and delay and clock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 10:54
-	328	398/202.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 10:54
-	177	398/202.ccls. and rate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 11:32
-	5	kogure.in. and "bit rate"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 11:33
-	130	yamada.in. and "bit rate"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 13:49
-	8	yamada.in. and "bit rate" and "average value"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 11:35
-	5	yamada-hiroshi.in. and "bit rate"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 11:43
-	12	suda.in. and "bit rate"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 11:45

C:\APPS\EAST\Workspaces\09621009 Yang et al. - bit-rate indep opt receiver.wsp

-	0	suda-atsuda.in. and "bit rate"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 11:45
-	4	suda-atsushi.in. and "bit rate"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 11:49
-	289	bit near1 rate near1 detect$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 13:39
-	71	bit near1 rate near1 detect$3 and (average mean)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 12:41
-	4	5594762.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 12:13
-	0	550864.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 12:13
-	7	5550864.uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 12:13
-	12	bit near1 rate near1 analyz$3 and (average mean)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 12:41
-	743	filter same "a/d" same ("voltage controlled" vco)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 13:05
-	52	filter same "a/d" same ("voltage controlled" vco) same (average mean)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 13:20
-	74	(recover$1 regenerat$3) and filter same conver$4 same ("voltage controlled" vco) same (average mean)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 13:21
-	1	yamada.in. and matsui.in. and "bit rate"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 13:49

C:\APPS\EAST\Workspaces\09621009 Yang et al. - bit-rate indep opt receiver.wsp

-		73	matsui.in. and "bit rate"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 13:50
-		1	matsui-kensuke.in. and "bit rate"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 13:50
-		64	matsui-kensuke.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 13:50
-		157	(bit near1 rate near1 detect$3).ti. (bit near1 rate near1 detect$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 16:43
-		798	("XOR" "EXOR" (exclusive near1 "or")) and (average mean) and ("A/D" "A-D" "AD" (analog adj2 digital)) and (vco "voltage controlled")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 14:16
-		83	("XOR" "EXOR" (exclusive near1 "or")) same (average mean) and ("A/D" "A-D" "AD" (analog adj2 digital)) and (vco "voltage controlled")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 14:27
-		22	("XOR" "EXOR" (exclusive near1 "or")) with (average mean) and ("A/D" "A-D" "AD" (analog adj2 digital)) and (vco "voltage controlled")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 14:45
-		434	("XOR" "EXOR" (exclusive near1 "or")) and (average mean) and ("A/D" "A-D" "AD" (analog adj2 digital)) and (vco "voltage controlled") and "DC"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 14:46
-		101	("XOR" "EXOR" (exclusive near1 "or")) and (average mean) same "DC" and ("A/D" "A-D" "AD" (analog adj2 digital)) and (vco "voltage controlled")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 14:46
-		22	("XOR" "EXOR" (exclusive near1 "or")) and (average mean) same "DC" and ("A/D" "A-D" "AD" (analog adj2 digital)) same (vco "voltage controlled")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 15:59
-		32	mokhtari.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 16:00
-		6	mokhtari.in. and bit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 16:01

C:\APPS\EAST\Workspaces\09621009 Yang et al. - bit-rate indep opt receiver.wsp

-	0	ladjemi.in. and bit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 16:01
-	6	westergren.in. and bit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 16:02
-	5	thylen.in. and bit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 16:02
-	1081	(("bit-rate" (bit near1 rate) bitrate) with (independent$2 insensitiv$3 transparen$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 16:44
-	584	(("bit-rate" (bit near1 rate) bitrate) near3 (independent$2 insensitiv$3 transparen$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 16:45
-	32	(("bit-rate" (bit near1 rate) bitrate) near3 (independent$2 insensitiv$3 transparen$2)) and ("XOR" "EXOR" (exclusive near1 "or"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/24 16:45

C:\APPS\EAST\Workspaces\09621009 Yang et al. - bit-rate indep opt receiver.wsp